

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cell / battery	
Rechargeable Lithium-ion Battery Pack	

2. Manufacturer of cell / battery	
Name	Darfon Electronics (Suzhou) Co.,LTD.
Address	99 Zhuyuan road,New District,Suzhou,China
Phone	0512-88188800
Email	queen.wang@darfon.com.cn
Website	www.darfon.com.cn

3. Test laboratory of cell / battery	
Name	Darfon Electronics (Suzhou) Co.,LTD.
Address	99 Zhuyuan road,New District,Suzhou,China
Phone	0512-88188800
Email	angel.kong@darfon.com.cn
Website	www.darfon.com.cn

4. ID-number and date			
Unique test report identification number	HBN170901A	Date of test report	9-21-2017

DESCRIPTION OF CELL / BATTERY

5. Mark the type of cell/battery with an "●"			
<input type="radio"/>	Lithium ion cell	Lithium metal cell	<input type="radio"/>
<input checked="" type="radio"/>	Lithium ion battery	Lithium metal battery	<input type="radio"/>
<input type="radio"/>	Lithium hybrid battery		

6. Parameters	Cell	Battery
Mass in gram (g):		215
Lithium ion: Indicate watt-hour rating (Wh):		21,6
Lithium metal: Indicate lithium metal content in gram (g):		
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):		g
		Wh

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)

Rechargeable Lithium-ion Batte

7. Physical description of cell / battery

Rechargeable Lithium-ion Battery Pack

8. Model numbers

204.101

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass	fail
T1 - Altitude simulation	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T2 - Thermal Test	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T3 - Vibration	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T4 - Shock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T5 - External Short Circuit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Impact / Crush	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T7 - Overcharge	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T8 - Forced Discharge	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

10. Reference to assembled battery testing requirements

N/A



11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto

LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY


IN ACCORDANCE WITH SUB-SECTION 38.3
OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery (taken from field 1)
Rechargeable Lithium-ion Batte

ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
13. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium ion battery: more than 100 Wh Lithium metal cell: more than 1 g Lithium Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>
Check point 14 – 16 need to be answered when 13 has been ticked "YES":				
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	<input type="radio"/>	YES	NO	<input type="radio"/>
15. Is each cell / battery equipped with an effective means of preventing external short circuits?	<input type="radio"/>	YES	NO	<input type="radio"/>
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?	<input type="radio"/>	N/A	YES	NO
17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries				
State of Charge (SoC) max. 30 %	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>

CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:						
18.a) Only button cells enclosed?	<input type="radio"/>	YES	NO	<input checked="" type="radio"/>		
18.b) Number of enclosed cells (other than button cells)/batteries per equipment						
Enclosed cells per equipment		Enclosed batteries per equipment	1			
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment	<input type="radio"/>	N/A	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	<input type="radio"/>	N/A	<input checked="" type="radio"/>	YES	NO	<input type="radio"/>
19. Place, Date	20. Title, Surname, First name		21. Company stamp and signature			
2019-12-20	Johannes Hofmann					

SPRINTUS GmbH
Reizenwiesen 1
73642 Welzheim / Germany
Telefon: +49 (0) 7182 80 404 - 0
www.sprintus.eu